

**NEW**

# Elcometer 456

IPC Dry Film Thickness Gauge

elcometer®  
inspection equipment

Pre-calibrated with 4 surface profiles to measure dry film thickness on shot or grit blasted substrates

● No calibration required - just select the relevant surface profile and start measuring

● Easy to use straight from the box - minimum training required

● Fully portable, rugged hand-held design ideal for use in the field

- Pre-calibrated with 4 profile ranges
- Displays 3 individual readings together with the average
- Built in integral probe measures in mils or microns
- Measures on flat or curved surfaces
- Bluetooth® to PC, iOS & Android™ devices



Made for



iPod



iPhone



iPad

Android™ 

available with



Bluetooth®  
wireless technology



compatible with  
ElcoMaster.

## Elcometer 456

## IPC Dry Film Thickness Gauge

The Elcometer 456 Industrial Protective Coating Thickness Gauge is pre-calibrated to measure DFT on shot or grit blasted steel substrates.

**STANDARDS:**

ASTM D7091, ISO 2808, ISO 19840,  
SSPC PA-2, US Navy NSI 009-32

new

Pre-calibrated with 4 profile ranges:

Profile	Metric	Imperial
Smooth	0-25µm	0-1mil
Fine	25-60µm	1-2mils
Medium	60-100µm	2-3mils
Coarse	>100µm	3-4mils

Displays 3 individual readings together with their average in microns or mils

Built in integral probe for stable, repeatable readings on flat or curved surfaces



Easy to use menu structure in multiple languages:

English, French, German, Dutch, Spanish, Chinese & Japanese

USB or Bluetooth® data output to the ElcoMaster® App or your own software application



**2 YEAR\***  
WARRANTY



Made for  
iPod iPhone iPad

Android™

available with  
Bluetooth®  
wireless technology

compatible with  
ElcoMaster®

Elcometer 456 IPC: Made for iPhone 6 Plus, iPhone 6, iPhone 5s, iPhone 5c, iPhone 5, iPhone 4s, iPhone 4, iPad Air 2, iPad mini 3, iPad Air, iPad mini 2, iPad (3rd and 4th generation), iPad mini, iPad 2, and iPod touch (4th and 5th generation). "Made for iPod," "Made for iPhone," and "Made for iPad" mean that an electronic accessory has been designed to connect specifically to iPod, iPhone, or iPad, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, iPhone, or iPad may affect wireless performance.

## IPC Dry Film Thickness Gauge

Elcometer 456

Pre-calibrated with 4 profile ranges, the Elcometer 456 IPC Gauge is fast and very easy to use.

- No need to calibrate just select the relevant surface profile and start measuring
- Easy to use straight from the box - minimal training required
- Readings can be transferred via Bluetooth® or USB to ElcoMaster® or your own software application for instant report generation and record keeping



### Technical Specification

C

Part Number	Description	Certificate
<b>A456CFI1-IPC</b>	Elcometer 456 IPC Dry Film Thickness Gauge	●
Built In Probe Type	Ferrous	
Reading Rate	70+ readings per minute	
Range	0 - 1500µm (0 - 60mils)	
Resolution	10µm / 1mil (where 5µm / 0.5 mil is rounded up)	
Accuracy**	±5%	
Minimum Substrate Thickness	300µm (12mils)	
Operating Temperature	-10 to 50°C (14 to 122°F)	
Power Supply	2 x AA batteries (rechargeable batteries can be used)	
Battery Life†	Alkaline: Approx. 16 hours Lithium: Approx. 24 hours	
Weight (including batteries)	156g (5.5oz)	
Gauge Dimensions	141 x 73 x 37mm (5.55 x 2.87 x 1.46")	
Packing List	Elcometer 456 IPC Gauge, calibration foils, wrist harness, protective case, 1 x screen protector, USB cable, test certificate, 2 x AA batteries & user guide.	

\* Elcometer 456 IPC gauges are supplied with a one year warranty against manufacturing defects. The warranty can be extended to two years via [www.elcometer.com](http://www.elcometer.com)

\*\* When in test calibration mode † Rechargeable batteries may differ

● Test certificate supplied as standard.



**elcometer**<sup>®</sup>  
www.elcometer.com

elcometer.be • elcometer.fr • elcometer.de  
elcometer.nl • elcometer.jp • elcometer.com.sg

#### ENGLAND

Elcometer Limited  
Manchester M43 6BU  
Tel: +44 (0)161 371 6000  
Fax: +44 (0)161 371 6010  
sales@elcometer.com  
www.elcometer.com

#### BELGIUM

Elcometer SA  
Tel: +32 (0)4 379 96 10  
Fax: +32 (0)4 374 06 03  
be\_info@elcometer.com  
www.elcometer.be

#### FRANCE

Elcometer Sarl  
Tel: +33 (0)2 38 86 33 44  
Fax: +33 (0)2 38 91 37 66  
fr\_info@elcometer.com  
www.elcometer.fr

#### GERMANY

Elcometer Instruments GmbH  
Tel: +49(0)7361 52806 0  
Fax: +49(0)7361 52806 77  
de\_info@elcometer.com  
www.elcometer.de

#### THE NETHERLANDS

Elcometer NL  
Tel: +31 (0)30 259 1818  
Fax: +31 (0)30 210 6666  
nl\_info@elcometer.com  
www.elcometer.nl

#### JAPAN

Elcometer KK  
Tel: +81-(0)3-6869-0770  
Fax: +81-(0)3-6433-1220  
jp\_info@elcometer.com  
www.elcometer.jp

#### REPUBLIC OF SINGAPORE

Elcometer (Asia) Pte Ltd  
Tel: +65 6462 2822  
Fax: +65 6462 2860  
asia@elcometer.com  
www.elcometer.com.sg

#### UNITED ARAB EMIRATES

EL Inspection & Blasting  
Equipment LLC  
Tel: +971 4 295 0191  
Fax: +971 4 295 0192  
uae\_sales@elcometer.com  
www.elcometer.ae

#### USA

MICHIGAN  
Elcometer Inc  
Tel: +1 248 650 0500  
Toll Free: 800 521 0635  
Fax: +1 248 650 0501  
inc@elcometer.com  
www.elcometer.com

#### TEXAS

Elcometer of Houston  
Tel: +1 713 450 0631  
Toll Free: 800 521 0635  
Fax: +1 713 450 0632  
inc@elcometer.com  
www.elcometer.com

Elcometer 456 IPC: Made for iPhone 6 Plus, iPhone 6, iPhone 5s, iPhone 5c, iPhone 5, iPhone 4s, iPhone 4, iPad Air 2, iPad mini 3, iPad Air, iPad mini 2, iPad (3rd and 4th generation), iPad mini, iPad 2, and iPod touch (4th and 5th generation).

"Made for iPod," "Made for iPhone," and "Made for iPad" mean that an electronic accessory has been designed to connect specifically to iPod, iPhone, or iPad, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, iPhone, or iPad may affect wireless performance.

iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a trademark of Apple Inc., registered in the U.S. and other countries. Suitable for mobile devices running Android software version 2.1 and upwards. Android™ and Google Play are trademarks of Google Inc. Elcometer and ElcoMaster are registered trademarks of Elcometer Limited. All other trademarks acknowledged.

Due to our policy of continuous improvement, Elcometer Limited reserves the right to change specifications without notice.

© Elcometer Limited. 2017. All rights reserved. No part of this document may be reproduced, transmitted, stored (in a retrieval system or otherwise), or translated into any language, in any form, or by any means, without the prior written permission of Elcometer Limited.

V2: 27.01.2017